

## Level 3 Liquidised Diet

Information for patients, relatives and carers

3





## Description / Characteristics

- No biting or chewing required.
- Can be drunk from a cup.
- Can be eaten with a spoon.
- Cannot be piped, layered or moulded on a plate - would not hold its shape.
- Cannot be eaten with a fork because it drips through the prongs.
- No chewing required – can be swallowed straight away.
- Smooth texture with no 'bits' (lumps, fibres, bits of shell, husks, particles of gristle or bone or skin).

## Test Methods

### Fork/Spoon test

- Drips slowly in dollops through the prongs of a fork
- Prongs of a fork do not leave a clear pattern on the surface
- Spreads out if spilled onto a flat surface
- Easily pours from a spoon when tilted, does not stick to a spoon.

### Finger test

It is not possible to hold a sample of this food texture using fingers, however, this texture slides smoothly and easily between the thumb and fingers, leaving a coating.

## Meal preparation tips:

- It is important that meals look attractive and appetising
- Ensure to prepare each component of the meal separately
- Ensure foods are well cooked and season to add taste
- To maintain their nutritional quality always blend foods with nutritious fluids, e.g. gravy, sauces, milk or juices.

### *Important*

*Sauces must be added before blending OR if added afterwards must be prepared to level 3 consistency. This will ensure that the meal is the correct single, smooth texture.*

## How to have a balanced diet:

*All food groups must be prepared as per the above level 3 guidance (Liquidised).*

- Carbohydrates: e.g. potatoes, tinned pasta shapes (pureed/liquidised), and cereal such as pureed/liquidised e.g. Ready brek (include a portion at each meal / 3 portions per day)
- Protein: e.g. fish, meat, chicken, eggs, lentils/pulses, meat alternatives, e.g. tofu or Quorn (2-3 portions per day)
- Fruit and vegetables: e.g. banana, carrot, broccoli (5 portions per day)
- Dairy: e.g. cheese, smooth yoghurt, chocolate custard, milk or alternatives (3 portions per day)
- High fibre: e.g. oats and wholegrains and fruit (include a portion at each meal / 3 portions per day).

## Suitable menu ideas:

*The following ideas are suitable to be modified and must meet the following requirements and made into the consistency as described previously.*

### **Breakfast:**

*Must be liquidised.*

- Soft fruit (e.g. banana, tinned peaches, raspberries, stewed apple and smooth yoghurt/fromage frais)
- Weetabix, rice crispies or cornflakes with milk and soft fruit
- Smooth porridge or instant oats with milk and soft fruit
- Homemade smoothie (e.g. fruit, oats and milk)
- Scrambled, boiled or poached egg, beans, sausage, chopped tomato and potato.

### **Light meals:**

*Must be liquidised.*

- Cream of soups (check fluid recommendations) with bread blended into the soup
- Omelette with cheese sauce
- Jacket potato filling with tuna mayonnaise, baked beans or cream cheese
- Tinned pasta meals e.g. ravioli, macaroni cheese, spaghetti bolognese
- Filling of a quiche.

## Main meals:

### *Must be liquidised.*

Ensure to have a portion of protein, carbohydrate and vegetables.

- Stews/casseroles
- Corned beef hash
- Cottage/shepherd's pie
- Bolognaise sauces with pasta
- Chilli con carne with rice
- Chicken curry with rice
- Lamb/chicken with soft noodles and a sauce
- Flaked fish or salmon with potatoes, vegetables and parsley sauce.



## **Make your own meals:**

### *Stage 3 liquidised.*

- Meat, chicken or alternative with sauces, e.g. white or cheese sauce, gravy, cranberry, mint or horseradish
- Salmon with hollandaise sauce or white fish with parsley/butter sauce

Served with:

- Mashed potato, sweet potato or rice, blended with milk
- Vegetables, e.g. carrots, cauliflower/cheese, broccoli, parsnips, mushy peas, butternut squash.

## **Desserts:**

### *Must be liquidised.*

- Crème Caramel
- Mousse or instant whip
- Smooth milk puddings: semolina/ground rice
- Smooth yoghurts
- Soft fruit
- Smooth trifles
- Panacotta
- Smooth fruit fool
- Cheesecake topping
- Egg custard filling
- Plain cake with cream or custard.

## What if I need to gain weight?

- Eat on a little and often basis
- Add additional double cream, sauces, butter, cheese, dried milk powder, or full fat milk or enriched milk to your meals and instead of your meals and desserts
- Add sugar, jam, honey or syrups to cereal and desserts
- Avoid all low fat or 'light' products
- Use full fat or thick and creamy food products
- Try to have a dessert or high calorie snack between meals
- Try to have a dessert, or pudding after main meals
- Avoid drinks just before meals
- Try to have milky/nourishing drinks between meals.





## Getting help:

If you notice changes to your own swallow (eating / drinking), or that of an individual you support or care for, please contact your local Speech and Language Therapy Team for advice.

### **Doncaster Speech and Language Therapy Service**

01302 796336

If you notice a reduction in appetite or weight, or that of an individual you support or care for, please contact your local Dietetic Team for advice.

### **Doncaster Dietetic Service**

01302 796410

### **Adult Learning Disability Team Speech and Language Therapy Service**

01302 796467

These are **not** official IDDSI resources, educational materials or education programs and they are **not** meant to replace materials and resources on [www.IDDSI.org](http://www.IDDSI.org)



© The International Dysphagia Diet Standardisation Initiative 2019 @ <https://iddsi.org/framework/> Licensed under the Creative Commons Attribution Sharealike 4.0 License <https://creativecommons.org/licenses/by-sa/4.0/legalcode>. Derivative works extending beyond language translation are NOT PERMITTED.

PhotoS: p6 ©envato/Feirlight; p8 ©envato/ff-photo

For more information on IDDSI scan the QR code





If you would like this in large print, braille or on audiotape or would like this document in an alternative language, please contact the Patient Advice and Liaison Service on 0800 015 4334.

**Amharic**

የሕገገን ጽሑፍ በግልጽ እንዲታይዎ በትልቁ፣ በብሬል ተጽፎ ወይም በቲፕ ተተኪት ወይም በሌላ ጽንፅ ተጽፎ ለግድፍ የሚፈልጉ ከዚያ የበቸቸኞች ምክርና ግንኙነት አገልግሎትን በዚህ ቁጥር 0800 015 4334 ይጠይቁ ምንግሩ።

**Arabic**

إذا أردت الحصول على هذه الوثيقة بالحظ الكبير أو بلغة برايل أو على هيئة شريط صوتي أو مترجمة إلى لغة بديلة يرجى الاتصال بخدمة التنسيق ونصيحة المرضى Patient Advice and Liaison Service على رقم الهاتف 0800 015 4334 .

**Bengali**

আপনি যদি এটা বড় অক্ষরের ছাপায়, ব্রেইল-এ, বা কোন শোনার টেইপ-এ পেতে চান অথবা আপনি যদি এই কাগজটা অন্য কোন ভাষায় পেতে চান, তাহলে দয়া করে 0800 015 4334 নম্বরে পেশেন্ট এ্যাড্‌লাইস এন্ড লিয়েজন্‌ সার্ভিসের সাথে যোগাযোগ করবেন।

**Cantonese (traditional Chinese)**

如果你希望本文件是采用大字印刷、盲文或录音磁带等格式，或者希望本文件是使用其它的语言，请联络病患建议与联络服务 (Patient Advice and Liaison Service)，电话号码：0800 015 4334。

**Czech**

Pokud byste chtěli dokument psaný většími písmeny, brailovým písmem nebo na zvukové kazetě nebo v jiném jazyku, prosím, kontaktujte poradenskou službu pacientům na tel. 0800 015 4334.

**Farsi**

در صورت تمایل به داشتن این سند به نسخه ای با چاپ درشت تر، به خط بریل یا نسخه صوتی، و یا به زبانی دیگر، لطفاً با دفتر خدمات مشاوره و هماهنگی بیماران به شماره تلفن ۰۸۰۰۰۱۵۴۳۳۴ تماس حاصل نمایید.

**French**

Si vous désirez ce document en gros caractères, en braille, enregistré sur cassette audio ou dans une autre langue, veuillez contacter le service de conseils et liaison des patients (Patients Advice and Liaison Service) au 0800 015 4334.

**Kurdish Sorani**

ئەگەر تۆم زانیاریتە بە چۆنی گۆره، برائیل بۆن لاسەر شرتی دنگی دەقواییت بۆخود تۆم بەلگەننامە بە زمەتکی دیکە دەقواییت، تکلە پەموندی بکە بە خزمەتگۆزاری زانیاری و هونامەنگی ئەمۆشۆرە بە ژمارە 0800 015 4334.

**Polish**

Jeżeli dokument wymagany jest w wersji drukowanej dużą czcionką lub alfabetem Braille'a, na kasecie audio lub w innym języku, prosimy o kontakt z zespołem ds. kontaktów z pacjentami (Patient Advice and Liaison Service) pod numerem telefonu 0800 015 4334.

**Punjabi**

ਜੇ ਤੁਸੀਂ ਇਸ ਨੂੰ ਵੱਡੀ ਫ਼ਾਓਂਟ , ਬੋਲ ਨਾਂ ਸੁਣਨ ਵਾਲੀ ਟੇਪ ਤੇ ਚੱਟੀ ਵੇ ਨਾਂ ਇਸ ਸਮਝਦੇ ਨੂੰ ਹੋਰ ਫ਼ਰਮ ਵਿੱਚ ਚੱਟੀ ਵੇ, ਤਾਂ ਲਿਖਾ ਅਰਥੇ ਮਰੀਜ਼ ਸਲਾਹ ਅਤੇ ਕਾਲ-ਸੇਵਾ ਸੇਵਾ (Patient Advice and Liaison Service) ਕਾਲ 0800 015 4334 ਤੇ ਸੰਪਰਕ ਕਰੋ।

**Somali**

Haddii aad jeclaan lahayd in aad kan ku hesho far waaweyn, farta braille ee dadka indhaha la' ama cajalad dhegeysi ah ama haddii aad jeclaan lahayd in aad dukumeentigan ku hesho luqad kale, fadlan Adeegga Talobixinta iyo Xiriirinta ee Bukaanleyda (Patient Advice and Liaison Service) kala soo xiriir lambarka 0800 015 4334.

**Turkish**

Bu belgeyi büyük yazı, braille (kör alfabesi) veya ses kaydı olarak veya başka bir dilde almak istiyorsanız, lütfen 0800 015 4334 no.lu telefondan Hasta Danışmanlık ve İrtibat Hizmetleri ile bağlantıya geçiniz.

**Urdu**

اگر آپ یہ بڑی چھپائی، بریل میں یا صوتی ٹیپ میں حاصل کرنا چاہتے ہیں یا یہ دستاویز کسی قابل زبان میں چاہیں تو براے کرم پیشکش ایڈوائس لیاؤ سروس سے 0800 015 4334 پر رابطہ کریں۔

**Vietnamese**

Nếu muốn có tài liệu này dưới dạng in chữ cỡ lớn hơn, chữ nổi braille hay bằng ghi âm, hoặc bằng một ngôn ngữ khác, xin quý vị liên hệ bộ phận Dịch vụ Tư vấn và Liên lạc với Bệnh nhân theo số 0800 015 4334.

This information is correct at the time of publishing  
Last Reviewed: July 2021